SAMPLE REPORT WITH EXAMPLE DATA. This is not a real client. **Monthly health report, Sep 2026 | Pro plan**

Warden

MONTHLY HEALTH REPORT

Prepared by WP Warden

Performance & Care Report

Maintenance summary for **Acme Plumbing**

Report Period: 2026-09-01 to 2026-09-30

OPTIONAL WRITTEN SUMMARY (AI-ASSISTED, APPROVED BEFORE SENDING)

September at a glance

Five updates were applied this month (three plugins, the theme and WordPress core), each after a restore point was taken. The site was unreachable once, for 14.2 minutes on September 17, which puts 30-day uptime at 99.97%.

One medium-severity vulnerability is open in Contact Forms 5.2.1. A fixed version, 5.2.3, is available. One suspicious PHP file in the uploads folder was found and quarantined on September 12.

Highlights

- Five updates applied, none failed
- One outage of 14.2 minutes
- One suspicious file quarantined

Recommended next steps

- Apply the Contact Forms 5.2.3 update
- Review the failed hardening check (default database prefix)
- Consider a stricter DMARC policy once mail reports look clean

SITES MANAGED	30-DAY UPTIME	AVG. RESPONSE	ACTIVE PLUGINS
1	99.97%	412ms	5

🖥️ Site Information & Health

SITE	WP VERSION	PHP VERSION	STATUS	HEALTH	SECURITY
Acme Plumbing https://acmeplumbing.test	6.9.1	8.3.14	HEALTHY	96/100	90/100

🔄 Updates & Maintenance Overview

SITE	CORE UPDATE	PLUGIN UPDATES	THEME UPDATES	TRANSLATION UPDATES
Acme Plumbing	UP TO DATE	1 PENDING	UP TO DATE	UP TO DATE

🔌 Plugin Inventory

Active Plugins

SITE	PLUGIN	VERSION	AUTHOR	AUTO-UPDATE	UPDATE AVAILABLE
Acme Plumbing	**Booking Calendar** Online appointment booking	3.4.2	Hollis and Pike	MANUAL	-
Acme Plumbing	**Contact Forms** Forms and enquiry emails	5.2.1	Brightmark Studio	MANUAL	V5.2.3
Acme Plumbing	**Image Optimizer** Compresses uploaded images	2.8.0	Lowell Works	AUTO	-
Acme Plumbing	**Cache Booster** Page caching	1.9.4	Lowell Works	AUTO	-
Acme Plumbing	**Reviews Widget** Shows customer reviews on pages	1.3.0	Marlow Digital	MANUAL	-

Inactive Plugins

SITE	PLUGIN	VERSION	AUTHOR
Acme Plumbing	**Legacy Slider**	2.1.0	Marlow Digital

🎨 Theme Inventory

SITE	THEME	VERSION	ACTIVE	UPDATE AVAILABLE
Acme Plumbing	**Northline Child**	1.0.4	ACTIVE	-
Acme Plumbing	**Northline**	2.3.0	INACTIVE	-

🛡️ Security Status

SITE	SECURITY SCORE	IDENTIFIED ISSUES
Acme Plumbing	90/100	• 1 medium-severity unresolved vulnerability • 3 brute-force lockout event(s) this period

🔒 Security Hardening Checklist

SITE	USER REGISTRATION	FILE EDITING	XML-RPC	DB PREFIX	DIR BROWSING	UPLOADS HARDENING	PINGBACK HARDENING
Acme Plumbing	✓ Pass	✓ Pass	✓ Pass	✗ Fail	✓ Pass	✓ Pass	✓ Pass

Pass = recommended security setting is active. Fail = setting needs attention. N/A (nginx) = not enforceable on this server type. to = data not yet collected (sync the WordPress plugin).

💾 Backup Infrastructure

SITE	DATE	SIZE	REGION	STATUS
Acme Plumbing	9/28/2026, 3:00:08 AM	421.80 MB	US	SECURED
Acme Plumbing	9/23/2026, 2:16:33 AM	96.20 MB	US	SECURED
Acme Plumbing	9/21/2026, 3:00:10 AM	419.30 MB	US	SECURED
Acme Plumbing	9/16/2026, 2:15:02 AM	21.70 MB	US	SECURED
Acme Plumbing	9/14/2026, 3:00:11 AM	417.90 MB	US	SECURED
Acme Plumbing	9/12/2026, 2:15:20 AM	4.20 MB	US	SECURED
Acme Plumbing	9/9/2026, 2:13:58 AM	15.50 MB	US	SECURED
Acme Plumbing	9/9/2026, 2:13:40 AM	22.90 MB	US	SECURED
Acme Plumbing	9/7/2026, 3:00:09 AM	414.10 MB	US	SECURED

SITE	DATE	SIZE	REGION	STATUS
Acme Plumbing	9/2/2026, 3:00:12 AM	412.60 MB	US	SECURED

📡 Availability & Uptime

7-DAY UPTIME	30-DAY UPTIME	90-DAY UPTIME
100.00%	99.97%	99.96%

SITE	START	END	DURATION	ROOT CAUSE
Acme Plumbing	9/17/2026, 3:12:00 AM	9/17/2026, 3:26:12 AM	14.2 mins	HOSTING TIMEOUT

⚡ Technical Performance

SITE	RESPONSE TIME (TTFB)	MISSED PINGS	ASSESSMENT
Acme Plumbing	412ms	0	OPTIMAL

🪲 PHP Error Summary

SITE	TYPE	ERROR	SOURCE	HITS	LAST SEEN
Acme Plumbing	DEPRECATED	Creation of dynamic property Booking_Calendar::$slots is deprecated	plugin: booking-calendar	112	2026-09-29
Acme Plumbing	WARNING	Undefined array key "rating"	plugin: reviews-widget	38	2026-09-30

📋 Recent Maintenance Activity

[Acme Plumbing] **Backup completed**: Scheduled backup finished (421.8 MB).
9/30/2026, 3:00:09 AM

[Acme Plumbing] **Time Machine Restore Failed**: A post could not be restored from the backup of Sep 28.
9/29/2026, 3:02:00 PM

[Acme Plumbing] **Portal content editor**: Client "Acme Plumbing" saved a draft of the post "Winter pipe care checklist".
9/29/2026, 1:36:00 PM

[Acme Plumbing] **Vulnerability detected**: Contact Forms 5.2.1 has a known vulnerability (fixed in 5.2.3).
9/28/2026, 2:10:00 AM

[Acme Plumbing] **Time Machine Restore Partial**: One plugin and one of two media files were restored from the backup of Sep 21.
9/27/2026, 9:48:00 AM

[Acme Plumbing] **Time Machine Restore Completed**: Two theme files were restored from the backup of Sep 21.
9/25/2026, 10:42:00 AM

[Acme Plumbing] **Portal writing help**: Client "Acme Plumbing" accepted a writing help suggestion (proofread).
9/24/2026, 10:15:00 AM

[Acme Plumbing] **Core updated**: WordPress core updated from 6.9 to 6.9.1 after a restore point was taken.
9/23/2026, 2:18:40 AM

[Acme Plumbing] **Theme updated**: Northline updated from 2.2.9 to 2.3.0 after a restore point was taken.
9/23/2026, 2:17:12 AM

[Acme Plumbing] **Time Machine Restore Completed**: One post and one page were restored from the backup of Sep 14.
9/18/2026, 1:20:00 PM

[Acme Plumbing] **Portal content editor**: Client "Acme Plumbing" scheduled the post "Five signs of a failing water heater".
9/17/2026, 4:44:00 PM

[Acme Plumbing] **Portal writing help**: Client "Acme Plumbing" edited and used a writing help suggestion (seo_title).
9/17/2026, 4:30:00 PM

[Acme Plumbing] **Site recovered**: The uptime monitor reported the site reachable again after 14.2 minutes.
9/17/2026, 3:26:12 AM

[Acme Plumbing] **Downtime detected**: The uptime monitor could not reach the site.
9/17/2026, 3:12:00 AM

[Acme Plumbing] **Plugin updated**: Cache Booster updated from 1.9.3 to 1.9.4 after a restore point was taken.
9/16/2026, 2:15:30 AM

[Acme Plumbing] **Portal writing help**: Client "Acme Plumbing" discarded a writing help suggestion (rewrite).
9/15/2026, 11:55:00 AM

[Acme Plumbing] **File quarantined**: A PHP file found in the uploads folder was quarantined: wp-content/uploads/2026/09/cache-tmp.php.
9/12/2026, 8:41:00 AM

[Acme Plumbing] **Update rolled back**: Reviews Widget 1.3.1 caused a layout problem on the reviews page. The plugin was restored to 1.3.0 from the restore point taken before the update.
9/12/2026, 2:16:44 AM

[Acme Plumbing] **Plugin updated**: Image Optimizer updated from 2.7.3 to 2.8.0 after a restore point was taken.
9/9/2026, 2:14:51 AM

[Acme Plumbing] **Plugin updated**: Booking Calendar updated from 3.4.1 to 3.4.2 after a restore point was taken.
9/9/2026, 2:14:05 AM

[Acme Plumbing] **Portal content editor**: Client "Acme Plumbing" published the post "Spring boiler service offer".
9/8/2026, 2:31:00 PM

[Acme Plumbing] **Backup completed**: Scheduled backup finished (414.1 MB).
9/7/2026, 3:00:09 AM

🪲 Vulnerability Scan Results

TOTAL OPEN	CRITICAL	HIGH	MEDIUM / LOW
1	0	0	1

SITE	COMPONENT	CVE / ID	SEVERITY	CVSS	FIX AVAILABLE	DETECTED
Acme Plumbing	**Contact Forms** PLUGIN Affected: up to 5.2.1	Cross-site scripting in a form label field (example entry)	MEDIUM	5.4	V5.2.3	9/28/2026

Recommendation: Update Contact Forms to 5.2.3 or later.

🌐 DNS Security Health

SITE / DOMAIN	DNS SCORE	SSL VALID	SPF	DKIM	DMARC	ISSUES	TOP ISSUE
Acme Plumbing acmeplumbing.test	88/100	✓ (61d)	✓	✓	✓	1 WARN	DMARC policy is set to none (monitoring only)

SPF = Sender Policy Framework • DKIM = DomainKeys Identified Mail • DMARC = Domain-based Message Authentication. Failures increase email spoofing risk.

🔒 File Integrity Scan

SITE	LAST SCAN	STATUS	TOTAL FILES	MODIFIED	ADDED	DELETED	OPEN SUSPICIOUS CONTENT
Acme Plumbing	9/30/2026, 2:14:00 AM	⚠ CHANGES FOUND	11482	3	2	0	0

SITE	FILE PATH	CHANGE TYPE	DETAIL	DETECTED AT
Acme Plumbing	wp-content/themes/northline-child/footer.php	MODIFIED	-	9/30/2026, 2:14:00 AM
Acme Plumbing	wp-content/plugins/reviews-widget/assets/widget.css	MODIFIED	-	9/30/2026, 2:14:00 AM
Acme Plumbing	wp-content/mu-plugins/site-tweaks.php	MODIFIED	-	9/30/2026, 2:14:00 AM

SITE	FILE PATH	CHANGE TYPE	DETAIL	DETECTED AT
Acme Plumbing	wp-content/plugins/cache-booster/includes/class-preload.php	ADDED	-	9/30/2026, 2:14:00 AM
Acme Plumbing	wp-content/cache/cache-booster/index.html	ADDED	-	9/30/2026, 2:14:00 AM

✅ Threats Neutralized This Period

1 item(s) found and fixed during this reporting period -- already handled, no action needed.

SITE	ITEM	ACTION TAKEN	FIXED AT
Acme Plumbing	wp-content/uploads/2026/09/cache-tmp.php	QUARANTINED	9/12/2026, 8:41:00 AM

View the full scan history in your client portal.

🔐 Login Security

SITE	FAILED LOGINS	LOCKOUTS	DISTINCT IPS
Acme Plumbing	118	3	9

Repeated failed logins from the same IP are rate-limited and locked out automatically by the WP Warden plugin.

Visual Checks After Updates

4 check(s): 2 passed, 1 with a visible change, 1 could not be completed.

DATE	SITE / PAGE	UPDATE	DIFFERENCE	THRESHOLD	RESULT
2026-09-23	**Acme Plumbing** https://acmeplumbing.test/services/	WordPress core (6.9 to 6.9.1)	-	5%	COULD NOT BE COMPLETED
2026-09-23	**Acme Plumbing** https://acmeplumbing.test/	Northline (2.2.9 to 2.3.0)	6.4%	5%	CHANGE DETECTED
2026-09-16	**Acme Plumbing** https://acmeplumbing.test/contact/	Cache Booster (1.9.3 to 1.9.4)	0.3%	5%	PASSED
2026-09-09	**Acme Plumbing** https://acmeplumbing.test/	Booking Calendar (3.4.1 to 3.4.2)	0.8%	5%	PASSED

Each check compares a screenshot of the site taken before an update with one taken after it. A difference above the threshold is flagged for review.

Update Risk Reviews

4 update(s) reviewed before applying: 3 low, 1 medium, 0 high risk.

DATE	ITEM	VERSION	RISK	SUMMARY	APPLIED
2026-09-08	**Booking Calendar** plugin on Acme Plumbing	3.4.1 to 3.4.2	LOW	Patch release with no changes to the booking tables and no failed updates on this site before.	YES Acme Plumbing
2026-09-08	**Image Optimizer** plugin on Acme Plumbing	2.7.3 to 2.8.0	LOW	Minor release with a new compression option. No history of failed updates on this site.	YES Acme Plumbing
2026-09-22	**Northline** theme on Acme Plumbing	2.2.9 to 2.3.0	MEDIUM	Minor release that changes template files. The child theme overrides the footer, so the footer is worth a look afterwards.	YES Acme Plumbing
2026-09-28	**Contact Forms** plugin on Acme Plumbing	5.2.1 to 5.2.3	LOW	Patch release. The update fixes a vulnerability that is currently open on this site.	NOT YET

Each review estimates how likely an update is to cause a problem, from the update's changelog and the site's own update history. It is advice only.

Single Plugin and Theme Restore Points

5 restore point(s) taken before updates (160.5 MB in total); **1** restore(s) performed.

DATE	SITE	ITEM	TAKEN BEFORE UPDATE	SIZE
2026-09-09	**Acme Plumbing**	Booking Calendar plugin	3.4.1 to 3.4.2	22.9 MB
2026-09-09	**Acme Plumbing**	Image Optimizer plugin	2.7.3 to 2.8.0	15.5 MB
2026-09-12	**Acme Plumbing**	Reviews Widget plugin	1.3.0 to 1.3.1	4.2 MB
2026-09-16	**Acme Plumbing**	Cache Booster plugin	1.9.3 to 1.9.4	21.7 MB
2026-09-23	**Acme Plumbing**	Northline theme	2.2.9 to 2.3.0	96.2 MB

Restores performed

DATE	SITE	ITEM	OUTCOME	REASON
2026-09-12	**Acme Plumbing**	Reviews Widget plugin, back to 1.3.0	RESTORED	Layout problem on the reviews page after the update

Time Machine Restores

4 restore(s) covering 8 item(s); 2 fully successful.

DATE	SITE	TYPE	ITEM	OUTCOME
2026-09-29	**Acme Plumbing**	Post	Post #231	FAILED
2026-09-27	**Acme Plumbing**	Plugin	booking-calendar	PARTLY RESTORED
2026-09-27	**Acme Plumbing**	Media file	wp-content/uploads/2026/08/team-photo.jpg	PARTLY RESTORED
2026-09-27	**Acme Plumbing**	Media file	wp-content/uploads/2026/08/van-photo.jpg	PARTLY RESTORED
2026-09-25	**Acme Plumbing**	File	wp-content/themes/northline-child/footer.php	RESTORED
2026-09-25	**Acme Plumbing**	File	wp-content/themes/northline-child/style.css	RESTORED
2026-09-18	**Acme Plumbing**	Post	Post #214	RESTORED
2026-09-18	**Acme Plumbing**	Page	Page #38	RESTORED

The outcome is recorded for the whole restore request, so every item in one request shows the same result.

Content Editor Activity

DRAFTS CREATED	DRAFTS SAVED	SUBMITTED FOR REVIEW	PUBLISHED	UPDATED	SCHEDULED
2	4	0	1	2	1

Editor sessions opened: **7**. Writing help suggestions accepted: **18**, edited and used: **6**.

Content changed

DATE	SITE	TYPE	TITLE	ACTION
2026-09-22	**Acme Plumbing**	Page	About us	Updated
2026-09-17	**Acme Plumbing**	Post	Five signs of a failing water heater	Scheduled

DATE	SITE	TYPE	TITLE	ACTION
2026-09-15	**Acme Plumbing**	Post	Five signs of a failing water heater	Draft created
2026-09-10	**Acme Plumbing**	Page	Emergency call-outs	Updated
2026-09-08	**Acme Plumbing**	Post	Spring boiler service offer	Published
2026-09-03	**Acme Plumbing**	Post	Spring boiler service offer	Draft created

Counts come from the activity recorded by the client portal editor. The text the client wrote is not stored in this report.

The WP Warden care team

Sample report

"This is a sample. Your own report uses your site's real data."

Sample report with example data for a fictional business (Acme Plumbing, acmeplumbing.test). Names, numbers and dates are made up to show the layout. This is not a real client and not a record of real results.